

223 AUTHORIZED ACCESS POINT – CHARACTER (NEW)

Field Definition

This field contains an access point for the name and other details relating to a fictitious character in works and expressions.

Subfields & Occurrence

Field	Field name	Repeatability	Occurrence
223	AUTHORIZED ACCESS POINT – CHARACTER	R*	O
Subfield	Subfield name	Repeatability	Occurrence
a	Entry Element	NR	M
b	Part of Name Other than Entry Element	NR	
c	Additions to Name of the Character	R	
7	Script of Cataloguing and Script of the Base Access Point	NR	
8	Language of Cataloguing and Language of the Base Access Point	NR	

* Repeatable for alternative script forms.

Indicators

Indicator	Value	Description
1	#	blank (not defined)
2	#	blank (not defined)

Subfields Description

Data Subfields

\$a Entry Element

The portion of the name used as the entry element in the access point. Mandatory. Not repeatable.

\$b Part of Name Other than Entry Element

The remainder of the name. Not repeatable.

\$c Additions to Name of the Character

Any additions to name of character which do not form an integral part of the name itself including titles, epithets, indications of office, or the relationship with another character (EX 1, 2). Repeatable.

Control subfields

\$7 Script of Cataloguing and Script of the Base Access Point

See specification of Control Subfields above. Not repeatable.

\$8 Language of Cataloguing and Language of the Base Access Point

See specification of Control Subfields above. Not repeatable.

Notes on Field Contents

This field contains the preferred form of a character name listed in a performance-related resource (notably movies, operas scores, plots and librettos).

Related Fields

146 MEDIUM OF PERFORMANCE
200 AUTHORIZED ACCESS POINT – PERSONAL NAME
210 AUTHORIZED ACCESS POINT – CORPORATE BODY NAME
230 AUTHORIZED ACCESS POINT – TITLE
231 AUTHORIZED ACCESS POINT – TITLE (WORK)
232 AUTHORIZED ACCESS POINT – TITLE (EXPRESSION)
240 AUTHORIZED ACCESS POINT – NAME/TITLE
241 AUTHORIZED ACCESS POINT – NAME/TITLE (WORK)
242 AUTHORIZED ACCESS POINT – NAME/TITLE (EXPRESSION)
4XX VARIANT ACCESS POINT – NAMES

Examples

EX 1
146 ##\$b01vso####
223 ##\$aSerpina
300 0#\$asoprano
541 ##\$1200#1\$aPergolesi\$bGiovanni Battista\$1231##\$aLa serva padrona\$cintermezzo
146 ##\$b01vbs####
223 ##\$aUberto
300 0#\$abasso
541 ##\$1200#1\$aPergolesi\$bGiovanni Battista\$1231##\$aLa serva padrona\$cintermezzo
146 ##\$b01zas####
223 ##\$aVespone\$cServo di Uberto
300 0#\$aattore muto
541 ##\$1200#1\$aPergolesi\$bGiovanni Battista\$1231##\$aLa serva padrona\$cintermezzo
The characters for Giovanni Battista Pergolesi's intermezzo <i>La serva padrona</i> . Voice ranges and the fact that Vespone is a silent character are specified in coded field 146 and in a note field.
EX 2
223 ##\$aVologeso\$cre de' Parti\$csposo di Berenice
523 ##\$aBerenice\$cregina d'Armenia\$csposa di Vologeso
541 ##\$1200#1\$aZeno\$bApostolo\$1231##\$aVologeso\$cdramma per musica
The character of Vologeso in the textual work <i>Il Vologeso dramma per musica</i> by Apostolo Zeno. Field 541 in embedded fields technique.
EX 3
223 ##\$aAyla
530 ##\$a≠NSB≠The ≠NSE≠clan of the cave bear
One character in Michael Chapman's film <i>The clan of the cave bear</i> .
EX 4
223 ##\$aChiaramantesi\$bGabriello
541 #0\$aBenelli, Sem\$4230\$tLa cena delle beffe

223 ###\$aChiaro\$antese\$bNeri
541 #0\$aBenelli, Sem\$4230\$tLa cena delle beffe
223 ###\$aMalespini\$bGiannetto
541 #0\$aBenelli, Sem\$4230\$tLa cena delle beffe
Part of the characters for Sem Benelli's <i>La cena delle beffe</i> ; names entered under surname. Field 541 in standard subfields technique.
EX 5
223 ###\$aAmsterdam Vallon
531 ###\$aGangs of New York
<i>Gangs of New York</i> by Martin Scorsese: the main character, Amsterdam Vallon.
EX 6
223 ###\$aMelisanda
542 ###\$aMaeterlinck\$bMaurice\$tPelléas et Mélisande\$drame lyrique\$francese\$italiano \$wCarlo Zangarini
The character of Mélisande in an expression consisting in the Italian translation by Carlo Zangarini of Maurice Maeterlinck's libretto.

History

2019	New field
------	-----------